

Variable	Value
sql	<pre>('SELECT "operations_operations"."id", "operations_operations"."code", ' "operations_operations"."intitule", "operations_operations"."description", ' "operations_operations"."date_debut_operation", ' "operations_operations"."date_fin_operation", ' "operations_operations"."duree_depot_physique", ' "operations_operations"."duree_souscription", ' "operations_operations"."montant_souscription", ' "operations_operations"."projet_id", "operations_operations"."visuel", ' "operations_operations"."operation_disponible_publique", ' "operations_operations"."operation_disponible_privé", ' "operations_operations"."condition_id", "operations_operations"."actif", ' COUNT("operations_operations_parcelles"."listesparcelles_id") FILTER (WHERE ' ("operations_listesparcelles"."actif" AND NOT ' "operations_listesparcelles"."paye")) AS "parcelles_disponibles", ' "operations_projet"."id", "operations_projet"."code", ' "operations_projet"."libelle", "operations_projet"."description", ' "operations_projet"."localite_id", "operations_projet"."date_debut", ' "operations_projet"."date_fin", "operations_projet"."date_creation", ' "operations_projet"."superficie_origine", ' "operations_projet"."superficie_viabilisee", "operations_projet"."actif", ' "operations_projet"."date_archivage", "operations_projet"."archive", ' "operations_condition"."id", "operations_condition"."code", ' "operations_condition"."intitule", ' "operations_condition"."condition_souscription", ' "operations_condition"."methode_attribution", ' "operations_condition"."documents_requis", ' "operations_condition"."cahier_charge", ' "operations_condition"."operation_id", ' "operations_condition"."date_creation", ' "operations_condition"."date_modification", "operations_condition"."actif" ' FROM "operations_operations" LEFT OUTER JOIN ' "operations_operations_parcelles" ON ("operations_operations"."id" = ' "operations_operations_parcelles"."operations_id") LEFT OUTER JOIN ' "operations_listesparcelles" ON ' ("operations_operations_parcelles"."listesparcelles_id" = ' "operations_listesparcelles"."id") INNER JOIN "operations_projet" ON ' ("operations_operations"."projet_id" = "operations_projet"."id") LEFT OUTER ' JOIN "operations_condition" ON ("operations_operations"."condition_id" = ' "operations_condition"."id") WHERE ' ("operations_operations"."operation_disponible_publique" AND ' "operations_operations"."actif" AND ' "operations_operations"."date_debut_operation" <= %s AND ' ("operations_operations"."date_fin_operation" >= %s OR ' "operations_operations"."date_fin_operation" IS NULL)) GROUP BY</pre>

Variable	Value
	"operation... ^
operations_valides	[]
redis_status	{'connected': True, 'error': None}
request	<WSGIRequest: GET '/souscrire/'>

/home/ika-admin/souscription/venv/lib/python3.12/site-packages/django/db/models/query.py, line 400, in `__iter__`

```
400.         self._fetch_all()
           ^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

Variable	Value
self	Error in formatting: ProgrammingError: relation "operations_operations" does not exist LINE 1: ...odification", "operations_condition"."actif" FROM "operation... ^

/home/ika-admin/souscription/venv/lib/python3.12/site-packages/django/db/models/query.py, line 1928, in `_fetch_all`

```
1928.         self._result_cache = list(self._iterable_class(self))
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

Variable	Value
self	Error in formatting: ProgrammingError: relation "operations_operations" does not exist LINE 1: ...odification", "operations_condition"."actif" FROM "operation... ^

/home/ika-admin/souscription/venv/lib/python3.12/site-packages/django/db/models/query.py, line 91, in `__iter__`

```
91.         results = compiler.execute_sql(
```

► Local vars

Variable	Value
compiler	<SQLCompiler model=Operations connection=<DatabaseWrapper vendor='postgresql' alias='default'> using='default'>
db	'default'
queryset	Error in formatting: ProgrammingError: relation "operations_operations" does not exist LINE 1: ...odification", "operations_condition"."actif" FROM "operation... ^
self	<django.db.models.query.ModelIterable object at 0x7f36fda50a10>

/home/ika-admin/souscription/venv/lib/python3.12/site-packages/django/db/models/sql/compiler.py, line 1574, in `execute_sql`

```
1574.         cursor.execute(sql, params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

Variable	Value
chunk_size	100
chunked_fetch	False
cursor	<django.db.backends.postgresql.base.CursorDebugWrapper object at 0x7f36fda50ef0>
params	(datetime.datetime(2025, 11, 20, 11, 4, 1, 558483), datetime.datetime(2025, 11, 20, 11, 4, 1, 558511))
result_type	'multi'
self	<SQLCompiler model=Operations connection=<DatabaseWrapper vendor='postgresql' alias='default'> using='default'>
sql	<pre>('SELECT "operations_operations"."id", "operations_operations"."code", ' '"operations_operations"."intitule", "operations_operations"."description", ' '"operations_operations"."date_debut_operation", ' '"operations_operations"."date_fin_operation", ' '"operations_operations"."duree_depot_physique", ' '"operations_operations"."duree_souscription", ' '"operations_operations"."montant_souscription", ' '"operations_operations"."projet_id", "operations_operations"."visuel", , '"operations_operations"."operation_disponible_publique", ' '"operations_operations"."operation_disponible_prive", ' '"operations_operations"."condition_id", "operations_operations"."actif", ' 'COUNT("operations_operations_parcelles"."listesparcelles_id") FILTER (WHERE ' '("operations_listesparcelles"."actif" AND NOT ' '"operations_listesparcelles"."paye")) AS "parcelles_disponibles", ' '"operations_projet"."id", "operations_projet"."code", ' '"operations_projet"."libelle", "operations_projet"."description", ' '"operations_projet"."localite_id", "operations_projet"."date_debut", ' '"operations_projet"."date_fin", "operations_projet"."date_creation", ' '"operations_projet"."superficie_origine", ' '"operations_projet"."superficie_viabilisee", "operations_projet"."actif", ' '"operations_projet"."date_archivage", "operations_projet"."archive", ' '"operations_condition"."id", "operations_condition"."code", ' '"operations_condition"."intitule", ' '"operations_condition"."condition_souscription", ' '"operations_condition"."methode_attribution", ' '"operations_condition"."documents_requis", ' '"operations_condition"."cahier_charge", ' '"operations_condition"."operation_id", ' '"operations_condition"."date_creation", ' '"operations_condition"."date_modification", "operations_condition"."actif" ' 'FROM "operations_operations" LEFT OUTER JOIN ' '"operations_operations_parcelles" ON ("operations_operations"."id" = ' '"operations_operations_parcelles"."operations_id") LEFT OUTER JOIN ' '"operations_listesparcelles" ON ' '("operations_operations_parcelles"."listesparcelles_id" = ' '"operations_listesparcelles"."id") INNER JOIN "operations_projet" ON ' '("operations_operations"."projet_id" = "operations_projet"."id") LEFT OUTER ' 'JOIN "operations_condition" ON ("operations_operations"."condition_id" = ' '"operations_condition"."id") WHERE ' '("operations_operations"."operation_disponible_publique" AND ' '"operations_operations"."actif" AND ' </pre>

Variable	Value
	'"operations_operations"."date_debut_operation" <= %s AND ' '("operations_operations"."date_fin_operation" >= %s OR ' '"operations_operations"."date_fin_operation" IS NULL)) GROUP BY ' '"operations_operations"."id", "operations_projet"."id", ' '"operations_condition"."id"')

/home/ika-admin/souscription/venv/lib/python3.12/site-packages/django/db/backends/utils.py, line 122, in execute

```
122.         return super().execute(sql, params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

Variable	Value
<code>__class__</code>	<class 'django.db.backends.utils.CursorDebugWrapper'>
<code>params</code>	(datetime.datetime(2025, 11, 20, 11, 4, 1, 558483), datetime.datetime(2025, 11, 20, 11, 4, 1, 558511))
<code>self</code>	<django.db.backends.postgresql.base.CursorDebugWrapper object at 0x7f36fda50ef0>
<code>sql</code>	('SELECT "operations_operations"."id", "operations_operations"."code", ' '"operations_operations"."intitule", "operations_operations"."description", ' , ' '"operations_operations"."date_debut_operation", ' '"operations_operations"."date_fin_operation", ' '"operations_operations"."duree_depot_physique", ' '"operations_operations"."duree_souscription", ' '"operations_operations"."montant_souscription", ' '"operations_operations"."projet_id", "operations_operations"."visuel", ' '"operations_operations"."operation_disponible_publique", ' '"operations_operations"."operation_disponible_prive", ' '"operations_operations"."condition_id", "operations_operations"."actif", ' 'COUNT("operations_operations_parcelles"."listesparcelles_id") FILTER (WHERE , ' '("operations_listesparcelles"."actif" AND NOT ' '"operations_listesparcelles"."paye")) AS "parcelles_disponibles", ' '"operations_projet"."id", "operations_projet"."code", ' '"operations_projet"."libelle", "operations_projet"."description", ' '"operations_projet"."localite_id", "operations_projet"."date_debut", ' '"operations_projet"."date_fin", "operations_projet"."date_creation", ' '"operations_projet"."superficie_origine", ' '"operations_projet"."superficie_viabilisee", "operations_projet"."actif", ' '"operations_projet"."date_archivage", "operations_projet"."archive", ' '"operations_condition"."id", "operations_condition"."code", ' '"operations_condition"."intitule", ' '"operations_condition"."condition_souscription", ' '"operations_condition"."methode_attribution", ' '"operations_condition"."documents_requis", ' '"operations_condition"."cahier_charge", ' '"operations_condition"."operation_id", ' '"operations_condition"."date_creation", ' '"operations_condition"."date_modification", "operations_condition"."actif" , ' 'FROM "operations_operations" LEFT OUTER JOIN ' '"operations_operations_parcelles" ON ("operations_operations"."id" = ' '"operations_operations_parcelles"."operations_id") LEFT OUTER JOIN ' '"operations_listesparcelles" ON ' '("operations_operations_parcelles"."listesparcelles_id" = ' '"operations_listesparcelles"."id") INNER JOIN "operations_projet" ON ' '("operations_operations"."projet_id" = "operations_projet"."id") LEFT OUTER

Variable	Value
	' JOIN "operations_condition" ON ("operations_operations"."condition_id" = ' "operations_condition"."id") WHERE ' ' ("operations_operations"."operation_disponible_publique" AND ' "operations_operations"."actif" AND ' "operations_operations"."date_debut_operation" <= %s AND ' ("operations_operations"."date_fin_operation" >= %s OR ' "operations_operations"."date_fin_operation" IS NULL)) GROUP BY ' "operations_operations"."id", "operations_projet"."id", ' "operations_condition"."id"')

/home/ika-admin/souscription/venv/lib/python3.12/site-packages/django/db/backends/utils.py, line 79, in execute

```
79.         return self._execute_with_wrappers(
```

► Local vars

Variable	Value
params	(datetime.datetime(2025, 11, 20, 11, 4, 1, 558483), datetime.datetime(2025, 11, 20, 11, 4, 1, 558511))
self	<django.db.backends.postgresql.base.CursorDebugWrapper object at 0x7f36fda50ef0>
sql	('SELECT "operations_operations"."id", "operations_operations"."code", ' "operations_operations"."intitule", "operations_operations"."description", ' "operations_operations"."date_debut_operation", ' "operations_operations"."date_fin_operation", ' "operations_operations"."duree_depot_physique", ' "operations_operations"."duree_souscription", ' "operations_operations"."montant_souscription", ' "operations_operations"."projet_id", "operations_operations"."visuel", ' "operations_operations"."operation_disponible_publique", ' "operations_operations"."operation_disponible_prive", ' "operations_operations"."condition_id", "operations_operations"."actif", ' COUNT("operations_operations_parcelles"."listesparcelles_id") FILTER (WHERE ' ("operations_listesparcelles"."actif" AND NOT ' "operations_listesparcelles"."paye")) AS "parcelles_disponibles", ' "operations_projet"."id", "operations_projet"."code", ' "operations_projet"."libelle", "operations_projet"."description", ' "operations_projet"."localite_id", "operations_projet"."date_debut", ' "operations_projet"."date_fin", "operations_projet"."date_creation", ' "operations_projet"."superficie_origine", ' "operations_projet"."superficie_viabilisee", "operations_projet"."actif", ' "operations_projet"."date_archivage", "operations_projet"."archive", ' "operations_condition"."id", "operations_condition"."code", ' "operations_condition"."intitule", ' "operations_condition"."condition_souscription", ' "operations_condition"."methode_attribution", ' "operations_condition"."documents_requis", ' "operations_condition"."cahier_charge", ' "operations_condition"."operation_id", ' "operations_condition"."date_creation", ' "operations_condition"."date_modification", "operations_condition"."actif" ' FROM "operations_operations" LEFT OUTER JOIN ' "operations_operations_parcelles" ON ("operations_operations"."id" = ' "operations_operations_parcelles"."operations_id") LEFT OUTER JOIN ' "operations_listesparcelles" ON ' ("operations_operations_parcelles"."listesparcelles_id" = ' "operations_listesparcelles"."id") INNER JOIN "operations_projet" ON ' ("operations_operations"."projet_id" = "operations_projet"."id") LEFT OUTER

Variable	Value
	<pre>'"operations_condition"."date_modification", "operations_condition"."actif" ' 'FROM "operations_operations" LEFT OUTER JOIN ' '"operations_operations_parcelles" ON ("operations_operations"."id" = ' '"operations_operations_parcelles"."operations_id") LEFT OUTER JOIN ' '"operations_listesparcelles" ON ' '("operations_operations_parcelles"."listesparcelles_id" = ' '"operations_listesparcelles"."id") INNER JOIN "operations_projet" ON ' '("operations_operations"."projet_id" = "operations_projet"."id") LEFT OUTER ' 'JOIN "operations_condition" ON ("operations_operations"."condition_id" = ' '"operations_condition"."id") WHERE ' '("operations_operations"."operation_disponible_publique" AND ' '"operations_operations"."actif" AND ' '"operations_operations"."date_debut_operation" <= %s AND ' '("operations_operations"."date_fin_operation" >= %s OR ' '"operations_operations"."date_fin_operation" IS NULL)) GROUP BY ' '"operations_operations"."id", "operations_projet"."id", ' '"operations_condition"."id"')</pre>

/home/ika-admin/souscription/venv/lib/python3.12/site-packages/django/db/backends/utils.py, line 100, in _execute

```
100.         with self.db.wrap_database_errors:
                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

Variable	Value
ignored_wrapper_args	(False, {'connection': <DatabaseWrapper vendor='postgresql' alias='default'>, 'cursor': <django.db.backends.postgresql.base.CursorDebugWrapper object at 0x7f36fda50ef0>})
params	(datetime.datetime(2025, 11, 20, 11, 4, 1, 558483), datetime.datetime(2025, 11, 20, 11, 4, 1, 558511))
self	<django.db.backends.postgresql.base.CursorDebugWrapper object at 0x7f36fda50ef0>
sql	<pre>('SELECT "operations_operations"."id", "operations_operations"."code", ' '"operations_operations"."intitule", "operations_operations"."description", ' '"operations_operations"."date_debut_operation", ' '"operations_operations"."date_fin_operation", ' '"operations_operations"."duree_depot_physique", ' '"operations_operations"."duree_souscription", ' '"operations_operations"."montant_souscription", ' '"operations_operations"."projet_id", "operations_operations"."visuel", ' '"operations_operations"."operation_disponible_publique", ' '"operations_operations"."operation_disponible_prive", ' '"operations_operations"."condition_id", "operations_operations"."actif", ' 'COUNT("operations_operations_parcelles"."listesparcelles_id") FILTER (WHERE ' '("operations_listesparcelles"."actif" AND NOT ' '"operations_listesparcelles"."paye")) AS "parcelles_disponibles", ' '"operations_projet"."id", "operations_projet"."code", ' '"operations_projet"."libelle", "operations_projet"."description", ' </pre>

Variable	Value
self	<django.db.utils.DatabaseErrorWrapper object at 0x7f36febe2510>
traceback	<traceback object at 0x7f36fdb86740>

/home/ika-admin/souscription/venv/lib/python3.12/site-packages/django/db/backends/utils.py, line 105, in _execute

```
105.             return self.cursor.execute(sql, params)
                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

Variable	Value
ignored_wrapper_args	(False, {'connection': <DatabaseWrapper vendor='postgresql' alias='default'>, 'cursor': <django.db.backends.postgresql.base.CursorDebugWrapper object at 0x7f36fda50ef0>})
params	(datetime.datetime(2025, 11, 20, 11, 4, 1, 558483), datetime.datetime(2025, 11, 20, 11, 4, 1, 558511))
self	<django.db.backends.postgresql.base.CursorDebugWrapper object at 0x7f36fda50ef0>
sql	('SELECT "operations_operations"."id", "operations_operations"."code", ' "operations_operations"."intitule", "operations_operations"."description", ' "operations_operations"."date_debut_operation", ' "operations_operations"."date_fin_operation", ' "operations_operations"."duree_depot_physique", ' "operations_operations"."duree_souscription", ' "operations_operations"."montant_souscription", ' "operations_operations"."projet_id", "operations_operations"."visuel", ' "operations_operations"."operation_disponible_publique", ' "operations_operations"."operation_disponible_privé", ' "operations_operations"."condition_id", "operations_operations"."actif", ' 'COUNT("operations_operations_parcelles"."listesparcelles_id") FILTER (WHERE ' '("operations_listesparcelles"."actif" AND NOT ' "operations_listesparcelles"."paye")) AS "parcelles_disponibles", ' "operations_projet"."id", "operations_projet"."code", ' "operations_projet"."libelle", "operations_projet"."description", ' "operations_projet"."localite_id", "operations_projet"."date_debut", ' "operations_projet"."date_fin", "operations_projet"."date_creation", ' "operations_projet"."superficie_origine", ' "operations_projet"."superficie_viabilisee", "operations_projet"."actif", ' "operations_projet"."date_archivage", "operations_projet"."archive", ' "operations_condition"."id", "operations_condition"."code", ' "operations_condition"."intitule", ' "operations_condition"."condition_souscription", ' "operations_condition"."methode_attribution", ' "operations_condition"."documents_requis", ' "operations_condition"."cahier_charge", ' "operations_condition"."operation_id", '

Variable	Value
	<pre>'"operations_condition"."date_creation", ' '"operations_condition"."date_modification", "operations_condition"."actif" ' 'FROM "operations_operations" LEFT OUTER JOIN ' '"operations_operations_parcelles" ON ("operations_operations"."id" = ' '"operations_operations_parcelles"."operations_id") LEFT OUTER JOIN ' '"operations_listesparcelles" ON ' '("operations_operations_parcelles"."listesparcelles_id" = ' '"operations_listesparcelles"."id") INNER JOIN "operations_projet" ON ' '("operations_operations"."projet_id" = "operations_projet"."id") LEFT OUTER ' 'JOIN "operations_condition" ON ("operations_operations"."condition_id" = ' '"operations_condition"."id") WHERE ' '("operations_operations"."operation_disponible_publicque" AND ' '"operations_operations"."actif" AND ' '"operations_operations"."date_debut_operation" <= %s AND ' '("operations_operations"."date_fin_operation" >= %s OR ' '"operations_operations"."date_fin_operation" IS NULL)) GROUP BY , '"operations_operations"."id", "operations_projet"."id", ' '"operations_condition"."id"')</pre>

Request information

USER AnonymousUser

GET No GET data

POST No POST data

FILES No FILES data

COOKIES

Variable	Value
cf_clearance	'CIB48d10w800YYxLlu1jNfwVHLWdMHV.GstWU5RWoFA-1763636641-1.2.1.1-MaJ_G4Dj1_EJ9YGMW3BngWlbtjvX..0XKi3NSa0eWV_8MJCJYcEGEuOjGuqyaSwMC6sywm9rrQ9fPg_ux.odfiJ61rf.h8oQL380Xxn1CB3xST_1h1P2vz9JH.fBtZhSzdC0tv75M.gYFFdgrSXFpRUbybse7caSSefpG8mpZBVenVEUZZXmUNLWeeVCrFlvy2iUxfrPXkPFoM1WkeVKjOf431.qDZ511oe7AGHR10'
csrftoken	'*****'

META

Variable	Value
CSRF_COOKIE	'wh2xOvSL5rWRuii3EijLvNZJN0Jo3FRd'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8'
HTTP_ACCEPT_ENCODING	'gzip'
HTTP_ACCEPT_LANGUAGE	'en-US,en;q=0.5'
HTTP_CDN_LOOP	'cloudflare; loops=1; subreqs=1'
HTTP_CF_CONNECTING_IP	'2c0f:eb58:50d:9a00:39d9:ea8f:18e1:e24a'
HTTP_CF_EW_VIA	'15'

Variable	Value
HTTP_CF_IPCOUNTRY	'BF'
HTTP_CF_PSEUDO_IPV4	'246.103.86.19'
HTTP_CF_RAY	'9a1776d0f5216936-LIS'
HTTP_CF_VISITOR	'{"scheme":"https"}'
HTTP_CONNECTION	'close'
HTTP_CONTENT_SECURITY_POLICY	("default-src 'self'; script-src 'self' https://cdn.tailwindcss.com; style-src " " 'self' 'unsafe-inline'; img-src 'self' data: https:; font-src 'self' https:; " "object-src 'none'; frame-ancestors 'self'; base-uri 'self';")
HTTP_COOKIE	'*****'
HTTP_HOST	'souscription.sonatur.bf'
HTTP_PRIORITY	'u=0, i'
HTTP_SEC_FETCH_DEST	'document'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'none'
HTTP_SEC_FETCH_USER	'?1'
HTTP_SEC_GPC	'1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:142.0) Gecko/20100101 ' 'Firefox/142.0')
HTTP_X_FORWARDED_FOR	'2c0f:eb58:50d:9a00:39d9:ea8f:18e1:e24a,172.68.102.88'
HTTP_X_FORWARDED_PROTO	'https'
HTTP_X_REAL_IP	'172.68.102.88'
PATH_INFO	'/souscrire/'
QUERY_STRING	''
RAW_URI	'/souscrire/'
REMOTE_ADDR	'10.0.0.3'
REMOTE_PORT	'48128'
REQUEST_METHOD	'GET'
SCRIPT_NAME	''
SERVER_NAME	'0.0.0.0'
SERVER_PORT	'8000'
SERVER_PROTOCOL	'HTTP/1.1'
SERVER_SOFTWARE	'unicorn/23.0.0'
unicorn.socket	<socket.socket fd=12, family=2, type=1, proto=0, laddr=('10.0.0.5', 8000), raddr=('10.0.0.3', 48128)>
wsgi.errors	<unicorn.http.wsgi.WSGIErrorsWrapper object at 0x7f36fdb895d0>
wsgi.file_wrapper	<class 'unicorn.http.wsgi.FileWrapper'>
wsgi.input	<unicorn.http.body.Body object at 0x7f36fdb88140>
wsgi.input_terminated	True
wsgi.multiprocess	True
wsgi.multithread	True
wsgi.run_once	False
wsgi.url_scheme	'http'

Variable	Value
wsgi.version	(1, 0)

Settings

Using settings module `core.settings`

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	['souscription.sonatur.bf', '127.0.0.1', '158.220.85.103', '10.0.0.3', '10.0.0.4', '10.0.0.1', '10.0.0.5', 'localhost']
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	['*****']
AUTH_USER_MODEL	'utilisateurs.Utilisateur'
BASE_DIR	PosixPath('/home/ika-admin/souscription')
CACHES	{'default': {'BACKEND': 'django_redis.cache.RedisCache', 'KEY_PREFIX': '*****', 'LOCATION': 'redis://10.0.0.3:6379/1', 'OPTIONS': {'CLIENT_CLASS': 'django_redis.client.DefaultClient', 'MAX_CONNECTIONS': 1000, 'RETRY_ON_TIMEOUT': True, 'SOCKET_CONNECT_TIMEOUT': 10, 'SOCKET_TIMEOUT': 10}}}}
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	['*****']
CACHE_MIDDLEWARE_SECONDS	600
CACHE_TTL	900
CORS_ALLOWED_ORIGINS	['https://souscription.sonatur.bf', 'http://127.0.0.1', 'http://158.220.85.103', 'http://10.0.0.3', 'http://10.0.0.4', 'http://10.0.0.1', 'http://10.0.0.5', 'https://app.ligdicash.com']
CORS_ALLOW_CREDENTIALS	True
CORS_ALLOW_HEADERS	['accept', 'accept-encoding', 'authorization', 'content-type', 'dnt', 'origin', 'user-agent', 'x-csrftoken',

Setting	Value
	'x-requested-with']
CORS_ALLOW_METHODS	['DELETE', 'GET', 'OPTIONS', 'PATCH', 'POST', 'PUT']
CSRF_COOKIE_AGE	31449600
CSRF_COOKIE_DOMAIN	None
CSRF_COOKIE_HTTPONLY	True
CSRF_COOKIE_NAME	'csrftoken'
CSRF_COOKIE_PATH	'/'
CSRF_COOKIE_SAMESITE	'Lax'
CSRF_COOKIE_SECURE	True
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS	['https://souscription.sonatur.bf', 'http://127.0.0.1', 'http://158.220.85.103', 'http://10.0.0.3', 'http://10.0.0.4', 'http://10.0.0.1', 'http://10.0.0.5', 'https://app.ligdicash.com']
CSRF_USE_SESSIONS	False
DATABASES	{'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_HEALTH_CHECKS': False, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.postgresql', 'HOST': '10.0.0.2', 'NAME': 'bd_souscription', 'OPTIONS': {}, 'PASSWORD': '*****', 'PORT': '6432', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIGRATE': True, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': 'user_souscription'}}
DATABASE_ROUTERS	[]
DATA_UPLOAD_MAX_MEMORY_SIZE	2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS	10240
DATA_UPLOAD_MAX_NUMBER_FILES	100
DATETIME_FORMAT	'N j, Y, P'
DATETIME_INPUT_FORMATS	['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%y %H:%M:%S', '%m/%d/%y %H:%M:%S.%f', '%m/%d/%y %H:%M']
DATE_FORMAT	'N j, Y'

Setting	Value
DATE_INPUT_FORMATS	['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y', '%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y']
DEBUG	True
DEBUG_PROPAGATE_EXCEPTIONS	False
DECIMAL_SEPARATOR	'.'
DEFAULT_AUTO_FIELD	'django.db.models.BigAutoField'
DEFAULT_CHARSET	'utf-8'
DEFAULT_EXCEPTION_REPORTER	'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER	'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FROM_EMAIL	'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE	''
DEFAULT_TABLESPACE	''
DISALLOWED_USER_AGENTS	[]
EMAIL_BACKEND	'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST	'localhost'
EMAIL_HOST_PASSWORD	'*****'
EMAIL_HOST_USER	''
EMAIL_PORT	25
EMAIL_SSL_CERTFILE	None
EMAIL_SSL_KEYFILE	'*****'
EMAIL_SUBJECT_PREFIX	'[Django] '
EMAIL_TIMEOUT	None
EMAIL_USE_LOCALTIME	False
EMAIL_USE_SSL	False
EMAIL_USE_TLS	False
FILE_UPLOAD_DIRECTORY_PERMISSIONS	493
FILE_UPLOAD_HANDLERS	['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
FILE_UPLOAD_PERMISSIONS	420
FILE_UPLOAD_TEMP_DIR	None
FIRST_DAY_OF_WEEK	0
FIXTURE_DIRS	[]
FORCE_SCRIPT_NAME	None
FORMAT_MODULE_PATH	None
FORMS_URLFIELD_ASSUME_HTTPS	False
FORM_RENDERER	'django.forms.renderers.DjangoTemplates'
HANDLER400	'core.erreur_views.handler_400_view'
HANDLER403	'core.erreur_views.handler_403_view'

Setting	Value
HANDLER404	'core.erreur_views.handler_404_view'
HANDLER500	'core.erreur_views.handler_500_view'
IGNORABLE_404_URLS	[]
INSTALLED_APPS	['django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'corsheaders', 'utilisateurs', 'operations', 'paiements', 'souscriptions', 'tableau_administration.apps.TableauAdministrationConfig', 'import_export', 'plateforme_web', 'django.contrib.humanize']
INTERNAL_IPS	[]
LANGUAGES	[('af', 'Afrikaans'), ('ar', 'Arabic'), ('ar-dz', 'Algerian Arabic'), ('ast', 'Asturian'), ('az', 'Azerbaijani'), ('bg', 'Bulgarian'), ('be', 'Belarusian'), ('bn', 'Bengali'), ('br', 'Breton'), ('bs', 'Bosnian'), ('ca', 'Catalan'), ('ckb', 'Central Kurdish (Sorani)'), ('cs', 'Czech'), ('cy', 'Welsh'), ('da', 'Danish'), ('de', 'German'), ('dsb', 'Lower Sorbian'), ('el', 'Greek'), ('en', 'English'), ('en-au', 'Australian English'), ('en-gb', 'British English'), ('eo', 'Esperanto'), ('es', 'Spanish'), ('es-ar', 'Argentinian Spanish'), ('es-co', 'Colombian Spanish'), ('es-mx', 'Mexican Spanish'), ('es-ni', 'Nicaraguan Spanish'), ('es-ve', 'Venezuelan Spanish'), ('et', 'Estonian'), ('eu', 'Basque'), ('fa', 'Persian'), ('fi', 'Finnish'), ('fr', 'French'), ('fy', 'Frisian'), ('ga', 'Irish'), ('gd', 'Scottish Gaelic'), ('gl', 'Galician'), ('he', 'Hebrew'), ('hi', 'Hindi'),

Setting	Value
	('hr', 'Croatian'), ('hsb', 'Upper Sorbian'), ('hu', 'Hungarian'), ('hy', 'Armenian'), ('ia', 'Interlingua'), ('id', 'Indonesian'), ('ig', 'Igbo'), ('io', 'Ido'), ('is', 'Icelandic'), ('it', 'Italian'), ('ja', 'Japanese'), ('ka', 'Georgian'), ('kab', 'Kabyle'), ('kk', 'Kazakh'), ('km', 'Khmer'), ('kn', 'Kannada'), ('ko', 'Korean'), ('ky', 'Kyrgyz'), ('lb', 'Luxembourgish'), ('lt', 'Lithuanian'), ('lv', 'Latvian'), ('mk', 'Macedonian'), ('ml', 'Malayalam'), ('mn', 'Mongolian'), ('mr', 'Marathi'), ('ms', 'Malay'), ('my', 'Burmese'), ('nb', 'Norwegian Bokmål'), ('ne', 'Nepali'), ('nl', 'Dutch'), ('nn', 'Norwegian Nynorsk'), ('os', 'Ossetic'), ('pa', 'Punjabi'), ('pl', 'Polish'), ('pt', 'Portuguese'), ('pt-br', 'Brazilian Portuguese'), ('ro', 'Romanian'), ('ru', 'Russian'), ('sk', 'Slovak'), ('sl', 'Slovenian'), ('sq', 'Albanian'), ('sr', 'Serbian'), ('sr-latn', 'Serbian Latin'), ('sv', 'Swedish'), ('sw', 'Swahili'), ('ta', 'Tamil'), ('te', 'Telugu'), ('tg', 'Tajik'), ('th', 'Thai'), ('tk', 'Turkmen'), ('tr', 'Turkish'), ('tt', 'Tatar'), ('udm', 'Udmurt'), ('ug', 'Uyghur'), ('uk', 'Ukrainian'), ('ur', 'Urdu'), ('uz', 'Uzbek'), ('vi', 'Vietnamese'), ('zh-hans', 'Simplified Chinese'), ('zh-hant', 'Traditional Chinese')]
LANGUAGES_BIDI	['he', 'ar', 'ar-dz', 'ckb', 'fa', 'ug', 'ur']

Setting	Value
LANGUAGE_CODE	'fr-fr'
LANGUAGE_COOKIE_AGE	None
LANGUAGE_COOKIE_DOMAIN	None
LANGUAGE_COOKIE_HTTPONLY	False
LANGUAGE_COOKIE_NAME	'django_language'
LANGUAGE_COOKIE_PATH	'/'
LANGUAGE_COOKIE_SAMESITE	None
LANGUAGE_COOKIE_SECURE	False
LIGDICASH_API_KEY	'*****'
LIGDICASH_API_TOKEN	'*****'
LOCALE_PATHS	[]
LOGGING	{'disable_existing_loggers': False, 'handlers': {'file': {'class': 'logging.FileHandler', 'filename': 'debug.log', 'level': 'DEBUG'}}, 'loggers': {'django': {'handlers': ['file'], 'level': 'DEBUG', 'propagate': True}}, 'version': 1}
LOGGING_CONFIG	'logging.config.dictConfig'
LOGIN_REDIRECT_URL	'/accounts/profile/'
LOGIN_URL	'/accounts/login/'
LOGOUT_REDIRECT_URL	None
MANAGERS	[]
MEDIA_ROOT	'/home/ika-admin/souscription/media'
MEDIA_URL	'/media/'
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.Fall backStorage'
MIDDLEWARE	['django.middleware.security.SecurityMiddlewar e', 'whitenoise.middleware.WhiteNoiseMiddleware', 'corsheaders.middleware.CorsMiddleware', 'django.contrib.sessions.middleware.SessionMid dleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.Authentication Middleware', 'django.contrib.messages.middleware.MessageMid dleware', 'django.middleware.clickjacking.XFrameOptionsM iddleware', 'core.security_headers.SecurityHeadersMiddlewa re']
MIGRATION_MODULES	{}
MONTH_DAY_FORMAT	'F j'
NUMBER_GROUPING	0
PASSWORD_HASHERS	'*****'

Setting	Value
PASSWORD_RESET_TIMEOUT	'*****'
PREPEND_WWW	False
REDIS_LOG_FILE	'/home/ouse6621/'
ROOT_URLCONF	'core.urls'
SECRET_KEY	'*****'
SECRET_KEY_FALLBACKS	'*****'
SECURE_CONTENT_TYPE_NOSNIFF	True
SECURE_CROSS_ORIGIN_OPENER_POLICY	'same-origin'
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	('HTTP_X_FORWARDED_PROTO', 'https')
SECURE_REDIRECT_EXEMPT	[]
SECURE_REFERRER_POLICY	'same-origin'
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	True
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	True
SESSION_ENGINE	'django.contrib.sessions.backends.cache'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'core.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
STATICFILES_DIRS	['/home/ika-admin/souscription/static']
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'whitenoise.storage.CompressedStaticFilesStorage'
STATIC_ROOT	'/home/ika-admin/souscription/staticfiles'
STATIC_URL	'/static/'
STORAGES	{ 'default': { 'BACKEND': 'django.core.files.storage.FileSystemStorage' , 'staticfiles': { 'BACKEND': 'django.contrib.staticfiles.storage.StaticFile

Setting	Value
TEMPLATES	<pre>sStorage'}} [{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplat es', 'DIRS': ['/home/ika-admin/souscription/ templates'], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.me ssages', 'django.template.context_processors.media']}}]</pre>
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	','
TIME_FORMAT	'p'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'Africa/Ouagadougou'
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	False
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WHITENOISE_AUTOREFRESH	True
WHITENOISE_MANIFEST_STRICT	False
WHITENOISE_ROOT	'/home/ika-admin/souscription/static'
WHITENOISE_USE_FINDERS	True
WSGI_APPLICATION	'core.wsgi.application'
X_FRAME_OPTIONS	'SAMEORIGIN'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.